

Vandalux Weatherproof Batten

The Australian designed Vandalux weatherproof range has a proven and trusted history since the early 1970s for being tough for all levels of industrial and public applications including transport, custodial, education, heavy industry and high vandalism / secure areas. The 6mm² terminal block and control gear has been selected to provide simplification, efficiency and versatility with Lumen Select Technology in the same traditional fitting allowing for easier and faster installation allowing for the same appearance throughout your installation. Replaceable retrofit kits and gear trays are available for when upgrades are required onsite.



LUMEN SELECT™

- Chromated pressure die-cast LM6 marine grade aluminium body with RAL9007 powder coated paint finish and robust frosted polycarbonate lens resist impact & abuse (clear lens available)
- Multiple wattages/Lumen outputs in 1 fitting, Two sizes available 4FT (22W, 30W, 37W, 53W, 63W) and 2FT (16W, 20W, 28W, 33W)
- Large 6mm² terminal block, Samsung LEDs and European DALI2 driver supplied as standard



80
CRI



IP66
Ingress
Protection
Rating



IK10
Impact Rating



3SDCM
MacAdam
Steps



DALI
Dimming



5 Years
Warranty






Symmetric
Beam
Distribution

CODE	SYSTEM POWER	EXIT LUMEN	EFFICACY	CCT	DIMENSIONS	WEIGHT	LINE CURRENT	SENSOR TYPE
VXOLS2D3	28W	3199lm	112lm/W	3000K	L700 x W138 x H114 mm	4kg	0.14A	
	33W	3524lm	118lm/W					
	20W	2321lm	127lm/W					
	18W	2097lm	129lm/W					
VXOLS2D3H	28W	3199lm	112lm/W	3000K	L700 x W138 x H114 mm	4kg	0.14A	Microwave
	16W	2097lm	119lm/W					
	20W	2321lm	117lm/W					
	33W	3524lm	110lm/W					
VXOLS2D4	28W	3351lm	121lm/W	4000K	L700 x W138 x H114 mm	4kg	0.14A	
	33W	3861lm	118lm/W					
	16W	2114lm	129lm/W					
	20W	2510lm	127lm/W					
VXOLS2D4H	28W	3351lm	121lm/W	4000K	L700 x W138 x H114 mm	4kg	0.14A	Microwave
	16W	2114lm	129lm/W					
	20W	2510lm	127lm/W					
	33W	3861lm	110lm/W					
VXOLS4D3	53W	5943lm	114lm/W	3000K	L1310 x W138 x H114 mm	8kg	0.23A	
	30W	3837lm	121lm/W					
	37W	4576lm	119lm/W					
	22W	2812lm	123lm/W					
	63W	7121lm	111lm/W					

VXOLS4D3H	53W	5943lm	114lm/W	3000K	L1310 x W138 x H114 mm	8kg	0.23A	Microwave
	22W	2663lm	122lm/W					
	30W	3623lm	119lm/W					
	37W	4425lm	118lm/W					
	63W	6909lm						
VXOLS4D4	53W	6153lm	114lm/W	4000K	L1310 x W138 x H114 mm	8kg	0.23A	
	30W	3837lm	121lm/W					
	37W	4576lm	119lm/W					
	63W	7121lm	111lm/W					
	22W	2812lm	123lm/W					
VXOLS4D4H	53W	6153lm	114lm/W	4000K	L1310 x W138 x H114 mm	8kg	0.23A	Microwave
	63W	7121lm	111lm/W					
	22W	2812lm	123lm/W					
	30W	3837lm	121lm/W					
	37W	4576lm	119lm/W					

ACCESSORY CODE	DESCRIPTION
C28VANDALUX	Horizontal wall mounting bracket for 2ft fitting
C29VANDALUX	Horizontal wall mounting bracket for 4ft fitting
C30VANDALUX	22 degree wall mount bracket 316 S/S for Vandalux 2ft & 4ft body
C31VANDALUX	Centenary mount bracket 316 S/S to suit 7mm wire for Vandalux 2ft & 4ft body (pair)
C32VANDALUX	32mm spigot Kit for 2ft vandalux painted RAL9007 grey
C33VANDALUX	Extension mounting bracket 5° elevation galvanized
C34VANDALUX	Extension mounting bracket 5° elevation 316 S/S powder coated RAL9007
C35VANDALUX	Universal mounting bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
C36VANDALUX	Ceiling mount bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
C37VANDALUX	Suspension mount bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
C38VANDALUX	Uni Strut bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
C39VANDALUX	Adjustable bracket 0°/ 22°/45° 316 S/S for Vandalux 2ft & 4ft body (pair)
C40VANDALUX	60mmØ adjustable pole mount with 35mmØ spigot
PMB32/VAN	32mm Pipe bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
PMB40/VAN	40mm Pipe bracket 316 S/S for Vandalux 2ft & 4ft body (pair)
VC2FTDIFFK	Vandalux/Vandaguard Clear 2ft Diffuser KIT c/w Gasket Screws and Washers
VO2FTDIFFK	Vandalux/Vandaguard Opal 2ft Diffuser KIT c/w Gasket Screws and Washers
VC4FTDIFFK	Vandalux/Vandaguard Clear 4ft Diffuser KIT c/w Gasket Screws and Washers
VO4FTDIFFK	Vandalux/Vandaguard Opal 4ft Diffuser KIT c/w Gasket Screws and Washers

Line Drawings



Product Images



C28VANDALUX, C29VANDALUX



C31VANDALUX



C32VANDALUX



C33VANDALUX




C35VANDALUX



C36VANDALUX




C37VANDALUX



C38VANDALUX




C39VANDALUX




C40VANDALUX




PMB32/VAN, PMB40/VAN




C28VANDALUX




C29VANDALUX




C32VANDALUX




C34VANDALUX



C36VANDALUX



C37VANDALUX



PMB32/VAN